



TOWN OF CARVER

Permitting Departments

PUBLIC MEETING NOTICE

POSTED IN ACCORDANCE WITH THE PROVISIONS OF M.G.L. CHAPTER 30A, SECTION 20B

BOARD OF HEALTH MEETING AGENDA

July 19, 2016

6:00 PM

Carver Town Hall Room #3

Public Hearings:

On the application of Steven Lake requesting 4 reductions under 15.405(1)(g) for a for a 2 bedroom dwelling, located at 26 Oak Drive in Carver, MA to allow an upgraded septic system on an 8,594 sf lot.

The requested reductions include:

1. Installation of a soils absorption system 5' from a property line, instead of 10.'
2. Installation of a soils absorption system 57' from the well to the west, instead of 100.'
3. Installation of a soils absorption system 72' from the well on the property, instead of 100.'
4. Installation of a soils absorption system 13' from a cellar wall, instead of 20.'

Discussion:

Future rules and regulations for nitrogen loading.

Integration of the Board of Health with the Permitting Department—short and long range adjustments.

- *Contract inspector and agent.*
- *Interim/permanent position.*
- *Long term objectives of the Board.*

Other Business

- A. Health Agent's report
- B. Minutes –April 26, 2016
- C. Correspondence (if any)
- D. Next meeting date
- E. Adjournment